÷							
		2002/11/29 14:48	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	(fault or error) with (analysis or analyze or   analyzing) with sensor	227	BRS.	11
·		2002/11/29 14:48	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	(fault or error) with (analysis or analyze or analyzing) with sensor with technical with system	<b></b>	BRS :: '	10
		2002/11/29 14:44	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	error with (analysis or analyze or analyzing) with sensor with technical with system	0	BRS !	9 :
	***************************************	2002/11/29 14:44	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	error with (analysis or analyze or analyzing) with sensor with actuator with technical with system	0	BRS	
		2002/11/30 13:00	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	("6047278").PN.		IS&R	7
		2002/11/29 14:15	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	700/109,174,28.31,34,38,103,10 8.ccls.	681	BRS	o
		2002/11/29 14:14	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	379/11.ccls.	7.4	BRS	5
	H	2002/11/29 14:14	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	710/34.ccls.	141 .	BRS	4.
		2002/11/29 14:14	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	706/51-53.ccls.	449	BRS	ω
		2002/11/29 14:14	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	702/for.103-for.104, for.123-for.126, for.130, for.134-for.136. ccls.	1390	BRS	2
		2002/11/29 14:13	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	702/33-36,41,42,44,43,105,108, 113-115,123,119,182-185,188,18 9,179,181.ccls.	4259	BRS	سر
Error Definition	Comments	Time Stamp	DBs	. Śearch Text	Hits	Туре	

_	21 B	20 в	19 B	18 B	17 B	16 B	1.5 B	14 E	13 E	12 E	
BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	BRS	Туре
ω:	11	<u>.</u>	23	- <b>co</b> :			1	0		26	Hits
(5671141.uref.) and (sensor or actuator)	5671141.uref.	finite with (status or state) and (error or fault) with sensor same actuator	finite with (status or state) and (error or fault) with sensor and actuator	finite with (status or state) and (error or fault) with sensor	finite with (status or state) and (error or fault) with sensor with actuator.	finite with state and (error or fault) with sensor with actuator	"5492020".PN.	5974898.uref.	(fault or error) with (analysis or analyze or analyzing) with sensor with actuator	(fault or error) with (analysis or analyze or analyzing) with sensor and actuator	Search Text
USPAT; US-PGPUB; EPO; JPO;	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT ·	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	DBs
2002/11/29	2002/11/29 15:09	2002/11/29 15:00	2002/11/29 15:33	2002/11/29 14:59	2002/11/29 14:59	2002/11/29 14:59	2002/11/29 14:55	200 14:	2002/11/29	2002/11/29	Time Stamp
				·							Comments
						:					Error Definition

3. 3. 3. 4.76	34 34 3 3 3 3 3 4 4 7 6 4 7 6	34 34 34 34 34 34 34 34 34 34 34 34 34 3
and (failure or error or fault) with sensor and actuator and (probale or probability or status or stadj description or description ame description and (far error or fault) with and actuator	ult) wi cuator nite wi d (fail ilt) wi ruator bbabili descr ide ad (descr ite ad e (descr ite ad e descr e descr	nite with (status or set (failure or error or alt) with sensor and cuator  nite with (status or set (failure or error or alt) with sensor and cuator and (probale or shability or probability or probability or probability or probability or status or set (description or description and (face of fault) with acctuator
ilure or error or with sensor and r and (probale or lity or probabili adj (status or stacription or descadj (status or stacription	illure or error or with sensor and r with (status or silure or error or with sensor and r and (probale or lity or probability or probability adj (status or stacription or descadj (status or stacription	ith (status or slure or error or ith sensor and ith sensor and ith sensor and and (probate or ity or probate or ity or probate or ity or probate or stription or description or description or description
re or error or h sensor and h sensor and ind (probale or y or probability or probability or status or status or status or status or status or status or description or desc	th sensor and  th sensor and  th (status or series or error or h sensor and ind (probale or y or probability)  (status or stoption  (status or stoption or description or d	ith (status or subtraction or error or ith sensor and ith sensor and ith sensor and and (probale or ith sensor and and (probale or ity or probability or probability or probability or status or sta
with sensor and r and (probale—or lity or probabili adj (status or staription or description or	ilure or error or with sensor and r with (status or silure or error or with sensor and r and (probale or lity or probabili adj (status or stoription or description or desc	ith (status or slure or error or ith sensor and and (probale or ity or probability or probability or probability or status or stription or description or description or description.)
ailure or error or with sensor and or and (probale or ility or probabili adj (status or st scription	ailure or error or with sensor and or with (status or sailure or error or with sensor and or and (probale or ility or probabiliality or status or staciption	ith (status or s lure or error or ith sensor and ith (status or s lure or error or ith sensor and and (probale or ity or probabili
(failure or error or t) with sensor and ator and (probale or ability or probabili	(failure or error or lt) with sensor and wator ite with (status or serior or serior and lt) with sensor and lt) with lt) with sensor and lt) with lt) with sensor and lt) with lt)	vator  ite with (status or sensult) with sensor and uator  ite with (status or serior or sensor and uator  ite with (status or serior or sensor and sensor
	nd (failure or error or ault) with sensor and ctuator	71141.uref.) and uator ite with (status (failure or erroll) with sensor a uator

	41	40	39	38	37	36	35	3	$\frac{\omega}{\omega}$	32	T
	BRS	BRS	BRS	IS&	3SI	IS&	I S &	BRS	BRS	BRS	<u>.</u>
•	- 0 .	<u> </u>	<u> </u>	R 2	R 2	727-	R 2	-			Туре
	·					10.		; ψ; ;	34	ω	Ηį
	₩ € ^	5	6					-			ts
	56/L ith init		60812	"569	"599	("63:	("62	((fi stat fini (des (sen	((fi stat stat fini (des	((fi stat fini (des	•
	141. (sta e-st	41.	12	O	91888	3068	0144	nit e)) te- cri	nite e)) te-s crip	nit e)) te- cri	,
	ure te ate	uref	uref	980").	8").	1").	8").	O T T O G	tta	e adj or f statu ption	တ
	or or		• •	PN.	PN.	PN.	PN.	(s ini s) or ctu	fini fus) on or	ini (s)	Search
	and stat fini							tatu te-s nea des ator	tatu te-s nea des	statu te-s adj des	!
	te-			. `			- <del>-</del>	s ctat	s c tat r cri	tat cri	Text
	init ) or stat							t) or	or e or	e or	
	e E			; ,		•		and			
[.	USPAT; EPO; J DERWEN	USPAT; U EPO; JPO DERWENT;	USPAT; U EPO; JPC DERWENT;	USPAT EPO; DERWE	USPAT EPO; DERWEI	USPAT EPO; DERWE	USPAT EPO; DERWE	USP. EPO DERI	USPA EPO; DERWI	USP EPO DER	
	HH	T; UF ENT	H ro	T; UP ENT	Z C	T; UP ENT	JP	USPAT; US EPO; JPO, DERWENT;	USPAT; U EPO; JPO DERWENT;	USPAT; USPO; JPODERWENT;	
	_; S_	I .	I -S	I -SI	); -S	., I		H 1	); );	H . S	DBs
	PUB	UB TD	PUB _TD	TD EUG	-PGPUB; BM_TDB	PGPUB;	PGPUB; BM_TDB	-PGPUB; IBM_TDB	PGPU BM_T	PGPU	
-	; 20 B 10	₩ <b>`•</b> [	₿ 🕦	₩	3; 20 )B 16	3; 20 )B 16	3; 20 )B 16	B; 20 DB 10	B; 2 DB 1	B;	-
	2002/11/30 10:28	2002/11/30 10:27	2002/11/ 10:26	2002/11, 10:21	2002/11/	2002/11,	2002/11,	2002/11/29	2002/11/30 14:29	2002/11/30	Time
	1/30	1/3(	1/30	.1/30	11/29	11/29	11/29	11/2	11/3	11/	1 1
				0	9	9	9	9	30	0	Stamp
	***************************************		***************************************								Coi
											Comments
								-			
											Error
											Error Definition
	- ,				<u> </u>						ř

51	50	49	48	47	46	45	44	43	42	T .
BRS 1	BRS	BRS	BRS.	BRS	BRS	BRS	BRS	BRS	BRS	Туре
. 10	0.	0	3460	ω -	- · · (J)-	23	<b>1</b>	<u></u> 6	0	Ŕits
((finite adj (status or state)) or finite-state or finite-state or finite-status) adj machine with sensor	inite adj (status or te)) or finite-state or ite-status) adj machine h sensor and actuator	((Innite adj (status or state)) or finite-state or finite-status) adj machine with sensor with actuator	inite adj (status or te)) or finite-state or ite-status) adj machine	with (state or status)) or finite-state or finite-status)	j (state or status)) or nite-state or finite-status)	4991176.uref.): and ((finite ith (state or status))or inite-state or finite-status)	(5831853.uref.) and ((finite with (state or status)) or finite-state or finite-status) and sensor	(4991176.uref.) and ((finite with (state or status)) or finite-state or finite-status) and sensor	with (state or status)) or finite-state or finite-status) and actuator	Search Text
USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	; US-PGPUB; JPO; NT; IBM_TDB	PAT; US-PGPUB; O; JPO; RWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	DBs
2002/11/30	2002/11/30	2002/11/30 11:39	2002/11/30 11:39	2002/11/30 11:20	2002/11/30 10:53	2002/11/30 10:52	2002/11/30	2002/11/30	2002/11/30	Time Stamp
										Comments
										Error Definition

					(4.5)		
		2002/11/30	USPAT; US-PGPUB; 2 EPO; JPO; DERWENT; IBM_TDB 1	(finite adj (status or tate)) or finite-state or inite-status) with sensor ith actuator	<b>ξ</b> Η, Ø (	BRS 1	61
		2002/11/30	USPAT; US-PGPUB; 2 EPO; JPO; DERWENT; IBM_TDB 1	abrication and ((finite adj status or state)) or inite-state or finite-status) nd sensor and actuator	a f ( f	BRS	60
		2002/11/30	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	fabrication and ((finite ad) (status or state)) or finite-state or finite-status) and sensor	31	BRS	59
	·	2002/11/30	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	fabrication and ((finite adj (status or state)) or finite-state or finite-status) with sensor	Ν.	BRS	58
		2002/11/30 13:33	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	(fi tat		BRS	57
		2002/11/30 13:29	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	abrication adj1 cell		BRS,	56
		2002/11/30 13:29	B;	fabrication adj1 cell and . conveyor	12	BRS	55.
		2002/11/30 13:29	BB;	fabrication adjl cell with conveyor with belt	0	BRS	54
		2002/11/30 14:17	B;	fabrication adj1 cel1	379	BRS	53
		2002/11/30 13:00	B; DB	lift-off adj turntables	0	BRS	52
Error Definition	Comments	Time Stamp	DBs	Search Text	Hits	Туре	T .
						_	_

ş.	_	2002/11/30 14:30	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	((((finite adj (status or state)) or finite-state or finite-status) adj machine) or fsm) with (description or text or texture) with sensro		BRS	69
1		2002/11/30 14:30	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	(((finite adj (status or state)) or finite-state or finite-status) adj machine) or fsm	4060	BRS	68
<u> </u>		2002/11/30	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	fabrication and ((finite adj (status or state)) or finite-state or finite-status) and sensor	с <u></u> й.	BRS	67
		2002/11/30 14:18	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	<pre>fabrication and ((finite adj   (status or state)) or   finite-state or finite-status) and sensor and actuator</pre>	8	BRS	99
		2002/11/30 14:17	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	<pre>fabrication and ((finite adj (status or state)) or finite-state or finite-status)</pre>	2,47	BRS	65
		2002/11/30 14:17	JS-PGPUB; ; ; IBM_TDB	<pre>fabrication adj1 cell and  ((finite adj (status or     state)) or finite-state or     finite-status)</pre>	0.	BRS	64
		2002/11/30 14:15	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	((finite adj (status or state)) or finite-state or finite-status) with sensor	14	BRS	63
		2002/11/30 14:15	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	((finite adj (status or state)) or finite-state or finite-status) with sensor and actuator		BRS	62
Error Definition	Comments	Time Stamp	DBs	Search Text	Hits	Type	
1						•	

	Туре	Hits
70	BRS	
71	BRS	
72	BRS	2.7
73	BRS	12
74	BRS	2
75	BRS	

81	80	79	78	77	76	
BRS ·	BRS	BRS	BRS	BRS	BRS	Туре
- i μi γ · · · · · · · · · · · · · · · · · ·	128	21	42	523	÷ N	Hits
((finite adj (status or state)) or state-finite or status-finite or finite-state or finite-status) with description and sensor and actuator	((finite adj (status or state)) or state-finite or status-finite or finite-state or finite-status) and sensor and actuator	((finite adj (status or state)) or state-finite or status-finite or finite-state or finite-status) and sensor with actuator and difference	((finite adj (status or state)) or state-finite or status-finite or finite-state or finite-status) and sensor with actuator	((finite adj (status or state)) or state-finite or status-finite or finite-state or finite-state sensor	<pre>((finite adj (status or state)) or state-finite or status-finite or finite-state or finite-status) with sensor not (((finite adj (status or state)) or state-finite or status-finite or finite-state or finite-status) adj machine) with sensor )</pre>	Search Text
USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	DBs
2002/11/30	2002/11/30	2002/11/30	2002/11/30 14:41	2002/11/30	2002/11/30 14:41	Time Stamp
						Comments
			:		·	Error Definition

	Туре	Hits	Search Text	DBs	Time Stamp	Comments	Error . Definition
88	BRS	3.84	(sensors or sensor) with (actuator or actuators) and (error or errors or faults or fault or failure) with (analysis or analyze or analyzing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/30 15:21		
. 8	BRS		(sensors or sensor) with (actuator or actuators) and (error or errors or faults or fault or failure) with (analysis or analyze or analyzing) and finite nearl (state or status)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/30 3 15:26		• • •
90	BRS	262	sensors and actuators—and———controller and production with line	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/30 15:27		
91	BRS	<u>.</u> ω <u>:</u>	sensors and actuators and controller and production with line and finite nearl (state or status)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/30 15:28		
92	BRS		sensors and actuators and controller and production with line and finite near (state or status)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/30 15:28		
93	BRS	σ -	sensors and actuators and controller and production with line and finite with (state or status)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/30 15:28	·	
94	IS&R	2	("6353803").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/02	-	

	100	99	9 ,	97	96	95	•
	BRS	IS&R	BRS	BRS	BRS	BRS	Туре
1.1		- 2	<del></del>	16	164	106	Hits
	(status-finite or finite-status or state-finite or finite-state or (state or status) near finite) with (error or fault) and (sensor or sensors) and (actuate or actuator or actuating or	("5717394").PN.	6094151.uref.	(status-finite or finite-status or state-finite or finite-state or ((state or status) near finite)) with (error or errors or faults or failure or fail or fails or failure or fail or or comparing or comparison) with (difference or different or differential or calibrate or calibration or calibrating)	state-finite r ((state or te)) with or faults or or fail or	(status-finite or finite-status or state-finite or finite-state or ((state or status) near finite)) with (error or fault)	Search Text
	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	; US-PGPUB; JPO; NT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	DBs
	2002/12/04	2002/12/04 10:51	2002/12/04	2002/12/04	2002/12/04	2002/12/04	Time Stamp
							Comments
				,			Error Definition

105	104	103	102	101	
BRS	BRS	BRS	BRS	BRS	Туре
4	- <b>-</b>		177	1 0 5	Hits
5831853.uref. and finite	5831853.uref.	(status-finite or finite-status or state-finite or finite-state or ((state or status) near finite)) and ((analysis or analyzed) near (error or errors or faults or fault or failure or fail or fails or failure) and (sensing or sensor or sensors) and (actuator or actuate or actuated)	-finite tate or and ults or il or (sensing and or	(status-finite or finite-status or state-finite or finite-state or (state or status) near finite) and (error or fault) and (sensor or sensors) and (actuate or actuator or actuating or actuators)	Search Text
USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	SPAT; US-PGPUB; PO; JPO; ERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	DBs
2002/12/04 12:18	2002/12/04 12:18	2002/12/04	2002/12/04 12:15	2002/12/04	Time Stamp
					Comments
					Error Definition

finite-status or state-finite or finite-status or ((state or status) near finite) and ((analysis or analyzing or analyze or analyzed) near ((malfunction or error or failing) and (sensing or sensor or sensors) and ((actuator or actuate or actuated)  ((status-finite or finite-status or state-finite or failure or fail or fault or failure or fail or fault or failure or fail or fails or failure or fail or fails or sensor or sensors) and (actuator or actuators or actuating or actuate or actuating or actuate or actuating or actuate or actuating or actuate or actuated)  failure or fail or fails or failure or fail or fails or actuator or actuators or actuating or actuate or actuated)	н.	Туре	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
Status) near finite)) and ((analysis or analyzing or analyze or analyzed) near (malfunction or error or errors or faults or fault or failing)) and (sensing or actuating or actuate or actuated)  ((status-finite or finite-status or state-finite or failure or fail or fault or sensor or sensors) and ((actuator or actuate or status) near finite)) with (malfunction or error or failure or fail or fault or sensor or sensors) and ((actuator or actuate or actuating or actuate or actuating or actuate or actuating or actuate or actuating or actuators or actuating or actuate or actuated)	.,			status-finite or inite-status or state-finit				
analyze or analyzed) near  (malfunction or error or errors or faults or fault or failure or fails or fails or failure or fail or fails or failure or fail or fails or sensor or sensors) and (sensing or actuator or actuate or actuate or actuate or finite-status or state-finite or status) near finite) with (malfunction or error or failure or fail or fails or failing) and (sensing or sensor or sensors) and (actuator or actuate or actuated)			<u>.</u>	r inite-State of (State of tatus) near finite)) and (analysis or analyzing or				
(malfunction or error or error or errors or faults or fault or failure or failure or fails or fails or failure or failure or fails or fails or failure or fail or sensor or sensors) and (sensing or actuated)  (status-finite or actuate or error or status) near finite or (state or failure or fails or fails or failure or fails or fails or sensor or sensors) and (actuating or actuate or actuate or actuated)  10				nalyze or analyzed) near			•	***************************************
of BRS 7 errors or faults or fault or failure or failure or fails or fails or failure or failure or fails or failure or failure or fails or sensor or sensors) and (actuator or actuators or actuates or actuated)  (status-finite or state-finite or fainte-status or state-finite or (malfunction or error or errors or failts or failure or fail or fails or sensor or sensors) and (actuator or actuators or actuators or actuate or actuating or actuate or actuated)  (actuated)				malfunction or error or	SPAT; US-PGPUB;	2002/12/04		**********
failure or fail or fails or failing)) and (sensing or sensor or sensors) and (actuator or actuators or actuating or actuate or actuated)  (status-finite or finite-status or state-finite or finite-status or state or (malfunction or error or failure or fault or fault or failure or fail or fault or failing) and (sensing or sensor or sensors) and (actuator or actuate or actuated)  [SERWENT; IBM_TDE Sensor or sensors) and (actuator or actuate or actuated)	06 B	S	7	rrors or faults or fault o	PO; JPO;	13:39		••••••
failing)) and (sensing or sensor or sensors) and (actuator or sensors) and (actuator or actuators or actuate or actuated)  (status-finite or actuate or actuate or finite-status or state-finite or status) near finite)) with (malfunction or error or errors or faults or fault or failure or fail or fails or fails or failing) and (sensing or actuators or actuators or actuators or actuated)  [SPAT; US-PGPUB; EPO; JPO; JPO; actuating or actuators or actuators or actuators or actuators or actuated)				ailure or fail or fails o	EXWENT; LBM_TUB			************
Sensor or sensors) and  (actuator or actuators or actuate or actuated)  (status-finite or finite or finite-status or state-finite or status) near finite)) with (malfunction or error or errors or faults or failure or fail or failure or fails or fails or failing) and (sensor or sensors) and (actuator or actuators or actuate or actuated)  Sensor or actuate or actuate or actuated)		***************************************	-	ailing)) and (sensing o	,			•
(actuator or actuators or actuating or actuate or actuate or actuated)  (status-finite or finite or finite-status or state-finite or status) near finite)) with (malfunction or error or fault or failure or fails or fails or failure or fail or fails or sensor or sensors) and (actuator or actuators or actuate or actuated)  (actuated)			******	ensor or sensors) an				***********
actuating or actuate or actuated)  (status-finite or finite-status or state-finite or finite-status or state or ((state or status) near finite)) with (malfunction or error or errors or faults or fault or failure or fails or fails or failing) and (sensing or sensor or sensors) and (actuating or actuate or actuated)  actuated)			-	actuator or actuators o				
(status-finite or finite finite-status or state-finite or status) near finite)) with (malfunction or error or errors or failure or fails or failure or fail or fails or failing) and (sensing or sensor or actuators or actuate or actuated)  actuated)	-		. <b>-</b> .'	ctuating or actuate o				•••••••
(status-finite or finite finite-status or state-finite or finite-status or state-finite or status) near finite)) with (malfunction or error or errors or failure or faults or fault or failure or fail or fails or failing) and (sensing or sensor or sensors) and (actuator or actuators or actuate or actuated)		-		ctuate	:			
finite-status or state-finite or finite-state or ((state or status) near finite)) with (malfunction or error or errors or failts or failure or fail or fails or failing) and (sensing or sensor or sensors) and (actuator or actuators or actuate or actuated)  [				status-finite or				*************
or finite-state or ((state or status) near finite)) with (malfunction or error or errors or failure or fault or failure or fail or fails or failing) and (sensing or sensor or actuators or actuate or actuated)	_		-	inite-status or state-finit				**********
Status) near finite)) with  (malfunction or error or errors or faults or fault or failure or fail or fails or failing) and (sensing or sensor or sensors) and (actuator or actuators or actuated)  Status) near finite)) with USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDE actuator or actuators or actuated				r finite-state or ((state o				
(malfunction or error or error or errors or faults or fault or failure or fail or fails or failing) and (sensing or sensor or sensors) and (actuator or actuators or actuate or actuated)		···		tatus) near finite)) with				
7 BRS 10 failure or fail or fails or failure or fail or fails or fails or failing) and (sensing or sensor or sensors) and (actuator or actuators or actuate or actuated)				malfunction or error or	SPAT: US-PGPUB:			
failure or fail or fails or failure or fail or failure or fail or failure or fails or failure or failure or fails or sensor or sensors) and (actuator or actuators or actuators or actuated)	<u> </u>	)	)	rrors or faults or fault o	PO: JPO:	2002/12/04		
ailing) and (sensing or ensor or sensors) and actuator or actuators or ctuating or actuate or ctuated)	7	RS	10	ailure or fail or fails o	FRWFNT• TRM TOF	13:40		**********
ensor or sensors) and actuator or actuators o ctuating or actuate or ctuated)			_	ailing) and (sensing o	EDMENT' FOR THE			
ctuating or actuate or ctuated)				ensor or sensors) and actuators o				
ctuate	ï			ctuating or actuate or				***************************************
			•	ctuat				

108	-
BRS.	Туре
**************************************	Hits
(status-finite or finite-status or state-finite or finite-status or state-finite or finite) with (malfunction or error or errors or faults or failure or fails or failure or fail or fails or failing) and (sensing or sensors) and (actuator or actuates or actuate or finite-status or state-finite or status) near fault or error or errors or failure or faults or fault or failure or fails or failure or fail or fails or failure or fail or fails or failing)) and (actuating or actuate or sensors) and (actuator or actuate or actuating or actuate or actuated))	Search Text
USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDE	DBs
2002/12/04	Time
2/04	Time Stamp
• .	Comments
	Error Definition